

Caring for Children with the Flu (influenza)



Saskatchewan
Ministry of
Health

Information for Parents of School and Daycare Aged Children

Influenza is an infectious respiratory disease caused by an influenza virus.

SIGNS OF THE FLU

Typically, it starts with sudden onset of fever, sore throat, cough and muscle aches, but you may have some or all of these symptoms:

- fever and chills;
- body aches, especially in the back and legs;
- headache;
- dry cough;
- weak and tired;
- sore throat;
- runny or stuffy nose;
- loss of appetite.

HOW DOES THE FLU SPREAD?

The flu can spread rapidly from person to person by:

- a simple cough or sneeze, or
- contact with something recently contaminated by fluids from an infected person (like shaking hands with someone who has sneezed).

Symptoms are the same as for adults, however a child's fever can often be as high as 39° - 40°.

HOW TO CARE FOR YOUR CHILD AT HOME

- Let the child stay home while ill to rest and prevent the virus from spreading to others.
- Offer cool liquids often.
- Monitor your child's temperature and give acetaminophen (e.g. Tylenol) or ibuprofen (e.g. Advil) as recommended on the package. **DO NOT GIVE ASPIRIN or ASA (Acetylsalicylic acid) to CHILDREN OR TEENAGERS.**
- Use salt water nose drops or spray to treat a stuffy nose.
- Throw away tissues after wiping your child's nose and wash your hands right away.
- Wash your hands often and teach your child to wash hands often.

TAKE YOUR CHILD TO A DOCTOR IF YOUR CHILD:

- Has heart or lung disease or other chronic illness which requires regular medical care;
- Has trouble breathing;
- Is less than 6 months old and has a fever higher than 38.5°;
- Is over 6 months old and has a fever of 39° (temperature taken under the armpit) or 40° (by mouth);
- Drinks so little that they are not peeing every 6 hours when awake;
- Has not had a wet diaper in 12 hours, or
- Symptoms improve then suddenly get worse.

TAKE YOUR CHILD TO HOSPITAL EMERGENCY OR CALL 911 IF YOUR CHILD:





- Has severe trouble breathing;
- Has any trouble breathing along with blue lips or skin;
- Is limp or unable to move;
- Is hard to wake up or is too quiet and not responding;
- Has a stiff neck;
- Seems confused;
- Has a seizure (convulsion/fit).

PREVENTING THE FLU

These tips can help to reduce the possibility of coming down with the flu and avoid passing the virus to others if you are infected.

- » **Good cough manners** – cough or sneeze into your elbow or use a tissue and discard immediately.
- » **Wash your hands often and especially:**
 - After coughing or sneezing or blowing your nose;
 - After being in contact with someone who has the flu;
 - Before preparing or eating meals;
 - After using the toilet, and
 - After coming home from the office, school, mall or any public place.
- » Do not visit people who have the flu if you can avoid it.
- » Stay home if you are sick.
- » Clean bathroom and kitchen counters and taps more frequently.
- » If you rub your eyes or touch your nose and mouth – wash your hands.
- » Do not share forks, spoons and knives.

HAND WASHING IS AN EASY AND EFFECTIVE WAY TO REDUCE THE SPREAD OF ILLNESS.



For free health advice from qualified registered nurses, 24 hours a day, 7 days a week call HealthLine at 1-877-800-0002 or visit www.healthlineonline.ca

For more information on the H1N1 flu virus visit www.health.gov.sk.ca